

KEYPRINT® SECURITY LTD



## **HYKEE LOCK PICK - 7 CUTS** Pick some of the most popular van replacement locks in the UK.





www.keyprint.co.uk sales@keyprint.co.uk



## **HYKEE LOCK PICK - 7 CUTS**



Loosen the nut wheel and the seven grub screws.



Retract the picking arms all the way back to the end of their slots.



Adjust the nut wheel so that the picking arms can freely move.



Insert the tool into the lock with the red dot adjacent to the vertical slot of the lock Then apply tension left or right. As with any picking process, tension control will determine the pins that are moving and those that are solid.




Use the arms to pick the solid pins. Once you have picked a pin and you can see a springy movement, tighten the grub screw to hold the <u>arm and pin in position.</u>

You may have to repeat the process of adjusting the picking arms on picked pins to find the shear line.



45 Assembly Street, Edinburgh EH6 7BQ Tel: +44 (0)131 555 0909 Fax: +44 (0)131 554 1177 www.keyprint.co.uk sales@keyprint.co.uk






Continue the picking process on all the pins until the lock opens.




Picking arms and screws work toghether to allow you to easily pick each pin.



When the lock is open, tighten the nut wheel in the picked position to keep the arms in place. You can now use the tool as a trial key.





Want to refresh your skills? Get in touch. We are always happy to help you with training and support.



45 Assembly Street, Edinburgh EH6 7BQ Tel: +44 (0)131 555 0909 Fax: +44 (0)131 554 1177 www.keyprint.co.uk sales@keyprint.co.uk



Keyprint Security Limited 45 Assembly Street EH6 7BQ Edinburgh www.keyprint.co.uk +44 (0)131 555 0909 sales@keyprint.co.uk